

Health and Safety Policy Statement:

Quelltex Ltd:

1 Business Activities

1.1 Quelltex Ltd provides classroom and web based training services to a wide range of clients and in particular to the aviation sector.

2 Risk Assessment

2.1 Quelltex instructors are responsible for risk assessing training sessions. Potential hazards will be identified at each venue. Where an instructor believes mitigation is not possible or cannot be sufficient and an unacceptable level of risk remains, training will not commence / be halted. In such circumstances the relevant site manager and Quelltex Health and Safety manager will be notified.

2.2 Quelltex administration staff will review their own working practices on a regular basis and will conduct a risk assessment when any new office equipment is introduced.

3 Working Safely

3.1 All Quelltex staff and sub contractors work either from home based offices or the main Quelltex office. Display Screen Equipment, printers, staplers, hole punches and similar office equipment are used routinely. All Quelltex staff and sub contractors are supplied with equipment by Quelltex Ltd and are expected to keep the equipment in safe working order. Where any equipment is thought to be defective or hazardous, this is to be reported to Paul Quellan or Diane McGhee and arrangements will be made to replace it.

3.2 Quelltex Ltd sub contractors are unlikely to need to use DSE for more than 5 hours per day. Employees and contractors are responsible for ensuring that the DSE work is interspersed with other activities such as classroom training, and compilation of printed materials.

3.3 Each Quelltex employee or contractor will seek to avoid RSI (Repetitive Strain Injuries) by making use of the equipment and office furniture provided by Quelltex and ensuring that DSE is correctly positioned prior to use.

3.4 Quelltex Ltd employees and sub contractors will have to handle equipment boxes in the process of setting up classroom sessions in various places. Some boxes may weight up to 18Kg and staff and contractors are required to ensure boxes are lifted with care and correct manual handling technique. Where boxes need to be moved from a vehicle, to the inside of a building, the route should be checked first and possible obstructions moved if possible. Training instructors are expected to convey information to each other regarding new venues and potential hazards relating to manual handling.

3.5 Once each month, computer keyboards and the main office telephone handset will be cleaned using a non hazardous anti bacterial spray.

3.6 Condition of all power leads, sockets and connections will be checked at the beginning of January each year and any defects reported to Paul Quellan.

3.7 LCD projectors are an integral part of the classroom training delivery process and will be routinely inspected for wear and damage. Projectors lamps use mercury in their construction. Where a projector lamp fails during use, the following procedure will be followed:

- a). Students asked to leave the room immediately
- b). Power cord disconnected
- c). Room ventilated
- d). Instructor leaves room and prevents further access for 10 minutes.

Where the instructor has reason to believe mercury vapour may have been expelled i.e lamp fails with any kind of explosion, all persons will evacuate the room immediately and wait 15 minutes before returning.

3.8 Power leads pose a potential trip hazard. All Quelltex employees and sub contractors will carry Duck Tape whenever they are on classroom training delivery duties. The tape will be used to securely fasten equipment cables to the floor. Account will be taken of the safest routing, leading to the shortest length of cable possible taped across possible thoroughfares. Wherever possible, cables will be routed away from locations where students and others might reasonably be expected to walk.

3.9 Quelltex instructors must ensure students have suitable PPE (Personal protective Equipment) pertinent to any practical work on an operational environment. Protective toe cap safety shoes/boots will be worn by instructors at customer sites where practical exercises may be conducted in any warehouse area and at vehicle check points.

4 Reporting

4.1 Any workplace accidents, or hazards requiring attention, will be reported to the Managing Director, Paul Quellin using the Quelltex H&S Reporting form. The Managing Director will respond formally anytime a form has been completed and determine whether further reporting action is necessary.

4.2 Where any equipment has been found to be defective or may be causing a hazard Quelltex Ltd will strive to ensure it is replaced promptly or withdrawn from use where this is not possible.

Document prepared by Paul Quellin

Quelltex Ltd

Molly's Cottage

The Lhen

Andreas

Isle Of Man

IM7 3EH

07624 488883

Approved by:

Paul Quellin

Margaret Nolan

on 03/05/13

Updated: 10/09/2016

Updated: 01/09/2019